

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently amended) A method of transferring resource related information from a first mobile terminal to a second mobile terminal operating in a wireless communication network, comprising the steps of:

connecting the first mobile terminal to an external communication network for accessing a resource;

receiving a request from selecting, by a user of the first mobile terminal, for information relating to the resource that said user wishes to send to the second mobile terminal;

transporting the requested information to the first mobile terminal responsive to the request;

receiving a selection input from the first mobile terminal indicating the requested information to be transmitted to a second mobile terminal; and

negotiating a communication connection between the first and the second mobile terminals responsive to the selection input, the negotiating including the first mobile terminal establishing a communication connection with the second mobile terminal and the first mobile terminal; and

transferring the resource related information to the second mobile terminal over the communication connection.

2. (original) A method as claimed in Claim 1, wherein the second terminal is also a client of a server connected to the external network and the information facilitates access to an external network resource by the second terminal.

3. (original) A method as claimed in Claim 1, wherein the information comprises a URL.

4. (original) A method as claimed in Claim 2, wherein the information comprises browser settings for use by the second terminal.

5. (original) A method as claimed in Claim 1, wherein the information has been previously downloaded from the external network.

6. (original) A method as claimed in Claim 5, wherein the information comprises a web page.

7. (original) A method as claimed in Claim 1, wherein the negotiation of the connection includes specifying the bearer to be used in transporting the information to the second terminal.

8. (original) A method as claimed in Claim 7, wherein the bearer is specified in accordance with a pre-determined user preference.

9. (original) A method as claimed in Claim 1, wherein the connection is made via the wireless communication network.

10. (original) A method as claimed in Claim 1, wherein the connection is made directly between the terminals.

11. (previously presented) A method as claimed in Claim 10, wherein the connection comprises an infrared link.

12. (original) A method as claimed in Claim 10, wherein the connection comprises a low power radio frequency link.

13. (original) A method as claimed in Claim 1, wherein the negotiation of the connection comprises sending a request from the first terminal to the second terminal for approval to establish a connection between the terminals and on receiving approval from the second terminal establishing the connection.

14. (original) A method as claimed in Claim 2, wherein both terminals are using a Wireless Application Protocol and the request is sent to the second terminal using a connectionless push command.

15. (original) A method as claimed in Claim 14, wherein the connection is established using a bearer indicated in the connectionless push command.

16. (original) A method as claimed in Claim 1, wherein the external network resource is a server.

17. (original) A method as claimed in Claim 2, wherein both terminals are using a Wireless Application Protocol and the resource information comprises a WAP deck.

18. (original) A method as claimed in Claim 17, wherein the transfer of the WAP deck to the second terminal includes the step of substituting the WAP deck with a pre-existing WAP deck on the second terminal.

19. (original) A method as claimed in Claim 18, wherein the pre-existing WAP Deck is deleted following the substitution step.

20. (original) A method as claimed in Claim 1, wherein the external network is the Internet.

21. (Currently amended) A wireless communication terminal arranged to access an external network resource via a wireless communication network, the wireless terminal comprising a controller arranged to receive user-selected information related to a resource via the wireless communication network and to send the an input of resource related information from to another wireless terminal, ~~selected by a user of the another wireless terminal~~ wherein the controller is further arranged to negotiate a connection with the another wireless terminal and subsequently to receive the information over the connection.

22. (original) A terminal as claimed in Claim 21, wherein the controller operates in accordance with a Wireless Application Protocol.

23. (original) A terminal as claimed in Claim 22, wherein the controller is arranged to receive the resource related information via a push command.

24. (original) A terminal as claimed in anyone of Claims 21, wherein the terminal is a cellular radio telephone.

25. (Currently amended) A wireless communication terminal arranged to access an external network resource via a wireless communication network, the wireless terminal comprising a controller arranged to receive user-selected information related to a resource via the wireless communication network and to send the resource related information selected by a user ~~of the wireless communication terminal information to another wireless terminal~~, wherein the controller is further arranged to negotiate a connection with the another wireless terminal and subsequently to send the information selected by the user over the connection.

26. (original) A terminal as claimed in Claim 25, wherein the controller operates in accordance with a Wireless Application Protocol.

27. (original) A terminal as claimed in Claim 26, wherein the controller is arranged to send the resource related information via a push command.

28. (original) A terminal as claimed in anyone of Claims 25, wherein the terminal is a cellular radio telephone.

29. (previously presented) The method according to claim 1, wherein the external communication network comprises the Internet.

30. (previously presented) The method according to claim 1, wherein the information related to the resource comprises content of the resource.

31. (previously presented) The method according to claim 1, wherein the information related to the resource comprises a link to the resource.

32. (previously presented) The method according to claim 1 further comprising choosing a bearer for sending the resource related information.

33. (previously presented) The method according to claim 1 further comprising selecting the second mobile terminal based on a list providing association between terminal contact information and recipient information.

34. (previously presented) The method according to claim 1, wherein the second mobile terminal is not capable of handling the external resource contents.

35. (previously presented) A method of transferring resource related information from a first mobile terminal to a second mobile terminal operating in wireless communication network, comprising the steps of:

connecting the first mobile terminal to an external communication network for accessing a resource;

selecting, by a user of the first mobile terminal, information relating to the resource that said user wishes to send to the second mobile terminal;

negotiating a communication connection between the first and the second mobile terminals; and

transferring the resource related information to the second mobile terminal over the communication connection,

wherein both the first and second mobile terminals use a Wireless Application Protocol (WAP) and the resource related information comprises a WAP deck, the transfer of the WAP deck to the second terminal including substituting the WAP deck with a pre-existing WAP deck

on the second mobile terminal, the pre-existing WAP Deck being deleted following the substitution.